

## Circular Hollow Sections (CHS) - Pipe

### Hot-dip Galvanised

Standard Length 6.0m



Nominal Size (DN)	Section	Outside Diameter	Wall Thickness	Mass	Metres per tonne
32	Heavy	42.4	4.0	3.87	258
40	Heavy	48.3	4.0	4.46	224
50	Medium	60.3	3.6	5.14	195
50	Heavy	60.3	4.5	6.3	159
65	Medium	76.1	3.6	6.56	152
65	Heavy	76.1	4.5	8.07	124
80	Extra Light	88.9	2.6	5.75	174
80	Light	88.9	3.2	6.92	145
80	Medium	88.9	4.0	8.53	117
80	Heavy	88.9	5.0	10.5	95
90	Extra Light	101.6	2.6	6.64	151
90	Light	101.6	3.2	8.02	125
90	Medium	101.6	4.0	9.81	102
90	Heavy	101.6	5.0	12.1	83
100	Extra Light	114.3	3.2	9.05	110
100	Light	114.3	3.6	10.0	100
100	Medium	114.3	4.5	12.4	81
100	Heavy	114.3	5.4	14.7	68
125	Extra Light	139.7	3.0	10.5	95
125	Light	139.7	3.5	12.1	83
125	Medium	139.7	5.0	16.9	59
125	Heavy	139.7	5.4	18.1	55
150	Extra Light	165.1	3.0	12.4	81
150	Light	165.1	3.5	14.4	69
150	Medium	165.1	5.0	20.0	50
150	Heavy	165.1	5.4	21.6	46